

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	60%	60%	70%	70%
CNS	Repeat Dialing	Automatic Callback	99%	99%	99%	99%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	99%	99%	99%
BSE	Bridging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	18%	18%	18%	18%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	18%	18%	18%	18%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1 544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1 544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	98%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	98%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	98%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrasw	Call Forwarding-DA Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	98%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	18%	18%	18%	18%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	98%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	98%	99%	99%	99%
BSE	Caller ID	Calling DN Delivery via ICLID	98%	99%	99%	99%
BSA	800 Access Service	Carrier Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	98%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	98%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	98%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	18%	18%	18%	18%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	98%	99%	99%	99%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	98%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	18%	18%	18%	18%
CNS	Priority Ringing	Distinctive Ringing	98%	98%	99%	99%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	18%	18%	18%	18%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	18%	18%	18%	18%
CNS	Direct Connection	Hot Line	90%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	18%	18%	18%	18%
BSE	Availability Control Arrangement	Make Busy Key	98%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	98%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	98%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	98%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	98%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	98%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	98%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	98%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	98%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	18%	18%	18%	18%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	18%	18%	18%	18%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	98%	99%	99%	99%
CNS	Call Screen	Selective Call Rejection	98%	99%	99%	99%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	60%	65%	70%	70%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	90%	100%	100%	100%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X 25)	C2 Type A - X.25 Packet Switched	40%	40%	40%	40%
BSA	Public Packet Switching (X 75)	C2 Type B - X.75 Packet Switched	40%	40%	40%	40%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Busy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Busy Ln Intrastwitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrastw	Call Forwarding-DA Intrastwitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	40%	40%	40%	40%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling DN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	98%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	40%	40%	40%	40%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	99%	99%	99%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	99%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	40%	40%	40%	40%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	40%	40%	40%	40%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	40%	40%	40%	40%
CNS	Direct Connection	Hot Line	99%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	40%	40%	40%	40%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	87%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	88%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	40%	40%	40%	40%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	40%	40%	40%	40%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscnber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	40%	50%	50%	50%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X 25 Packet Switched	10%	10%	10%	10%
BSA	Public Packet Switching (X.75)	C2 Type B - X 75 Packet Switched	10%	10%	10%	10%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Prv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1 544Mbps)	C3 Type G, Dedicated 1 544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	90%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	10%	10%	10%	10%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	90%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	96%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	96%	100%	100%	100%
BSA	800 Access Service	Caller Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntri Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntri Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	10%	10%	10%	10%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	99%	99%	99%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	90%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	10%	10%	10%	10%
CNS	Priority Ringing	Distinctive Ringing	96%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	10%	10%	10%	10%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	10%	10%	10%	10%
CNS	Direct Connection	Hot Line	99%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	10%	10%	10%	10%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	10%	10%	10%	10%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	10%	10%	10%	10%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	90%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	100%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	90%	100%	100%	100%
CNS	Repeat Dialing	Automatic Callback	100%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	100%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X 25)	C2 Type A - X.25 Packet Switched	40%	40%	40%	40%
BSA	Public Packet Switching (X 75)	C2 Type B - X.75 Packet Switched	40%	40%	40%	40%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Prv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1 544 Mbps	100%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	100%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	100%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim Cls Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	40%	40%	40%	40%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	100%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	100%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	100%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	100%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	40%	40%	40%	40%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	100%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	100%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	100%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	90%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	40%	40%	40%	40%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	40%	40%	40%	40%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	40%	40%	40%	40%
CNS	Direct Connection	Hot Line	90%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	40%	40%	40%	40%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	40%	40%	40%	40%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	40%	40%	40%	40%
BSE	Secondary Channnel	Secondary Channel Capability	100%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	100%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	100%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verfy Integrity of Subscriber Lns	100%	100%	100%	100%
CNS	Warm Line	Warm Line	99%	100%	100%	100%



Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	50%	60%	60%	60%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Brdging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	4%	6%	6%	6%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	4%	6%	6%	6%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1 544Mbps)	C3 Type G, Dedicated 1.544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1 544Mbps)	C3 Type H, Dedicated >1 544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	4%	6%	6%	6%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	4%	6%	6%	6%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	75%	80%	90%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	4%	6%	6%	6%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	4%	6%	6%	6%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	4%	6%	6%	6%
CNS	Direct Connection	Hot Line	85%	90%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	4%	6%	6%	6%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	4%	6%	6%	6%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	4%	6%	6%	6%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	50%	60%	60%	60%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	100%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	70%	80%	90%	100%
CNS	Repeat Dialing	Automatic Callback	98%	99%	99%	99%
BSE	Automatic Loop Transfer	Automatic Protection Switching	100%	100%	100%	100%
CNS	Call Return	Automatic Recall	98%	99%	99%	99%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	14%	16%	16%	16%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	14%	16%	16%	16%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	100%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	100%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	100%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	100%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	100%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	14%	16%	16%	16%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	100%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	100%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	98%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	98%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	100%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	14%	16%	16%	16%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	98%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	100%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	100%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	100%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	14%	16%	16%	16%
CNS	Priority Ringing	Distinctive Ringing	98%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	14%	16%	16%	16%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	14%	16%	16%	16%
CNS	Direct Connection	Hot Line	90%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	14%	16%	16%	16%
BSE	Availability Control Arrangement	Make Busy Key	100%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	100%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	100%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	100%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	100%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	100%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	100%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	95%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	100%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	95%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	100%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	14%	16%	16%	16%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	14%	16%	16%	16%
BSE	Secondary Channnel	Secondary Channel Capability	100%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	98%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	98%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	100%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	100%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	100%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	100%	100%	100%	100%
CNS	Warm Line	Warm Line	70%	80%	90%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	100%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	70%	80%	100%	100%
CNS	Repeat Dialing	Automatic Callback	100%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	100%	100%	100%	100%
CNS	Call Return	Automatic Recall	100%	100%	100%	100%
BSE	Bndging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X 25)	C2 Type A - X.25 Packet Switched	30%	40%	40%	40%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	30%	40%	40%	40%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1 544Mbps)	C3 Type H, Dedicated >1 544 Mbps	100%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	100%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	100%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	100%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	100%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intraswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrasw	Call Forwarding-DA Intraswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	100%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	30%	40%	40%	40%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	100%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	100%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	100%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	100%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	100%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	100%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	100%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	30%	40%	40%	40%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	100%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	100%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Dernd Channels (Monitoring)	100%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	99%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	30%	40%	40%	40%
CNS	Priority Ringing	Distinctive Ringing	100%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	30%	40%	40%	40%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	30%	40%	40%	40%
CNS	Direct Connection	Hot Line	80%	90%	90%	90%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	30%	40%	40%	40%
BSE	Availability Control Arrangement	Make Busy Key	100%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	100%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	100%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	100%	100%	100%	100%

			Actual %	Projected % Access Lines		
Type	ONA Capability	Generic Cross Reference NA	Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	100%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	100%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	100%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	100%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	100%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	30%	40%	40%	40%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	30%	40%	40%	40%
BSE	Secondary Channnel	Secondary Channel Capability	100%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	100%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	100%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	100%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	100%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	100%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	100%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	100%	100%	100%	100%
CNS	Warm Line	Warm Line	70%	80%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	19%	25%	25%	25%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	97%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	4%	4%	4%	4%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	4%	4%	4%	4%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Prv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1 544Mbps)	C3 Type H, Dedicated >1 544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim Cls Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	4%	4%	4%	4%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carner Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	4%	4%	4%	4%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	99%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	4%	4%	4%	4%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	4%	4%	4%	4%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	4%	4%	4%	4%
CNS	Direct Connection	Hot Line	85%	90%	90%	90%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	4%	4%	4%	4%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

			Actual %	Projected % Access Lines		
Type	ONA Capability	Generic Cross Reference NA	Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	4%	4%	4%	4%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	4%	4%	4%	4%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	99%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	20%	25%	25%	25%



Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	25%	25%	25%	25%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Brdging	Brdging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	0%	0%	0%	0%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	0%	0%	0%	0%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrasw	Call Forwarding-DA Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	0%	0%	0%	0%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	0%	0%	0%	0%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	99%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	0%	0%	0%	0%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	0%	0%	0%	0%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	0%	0%	0%	0%
CNS	Direct Connection	Hot Line	85%	90%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	0%	0%	0%	0%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	0%	0%	0%	0%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	0%	0%	0%	0%
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	100%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	99%	100%	100%	100%
CNS	Warm Line	Warm Line	25%	25%	25%	25%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	99%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	50%	60%	60%	60%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	99%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	99%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	99%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	99%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	0%	0%	0%	0%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	0%	0%	0%	0%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	99%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	99%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	99%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	99%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	99%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	99%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	99%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	99%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	99%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	99%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	99%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	99%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	99%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrasw	Call Forwarding-DA Intraswitch	99%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	99%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	0%	0%	0%	0%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	99%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	99%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	99%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	99%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	99%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	99%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	99%	100%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	0%	0%	0%	0%
BSE	Channel Conditioning	Conditioning	99%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	99%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Derived Channels (Monitoring)	99%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	100%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	0%	0%	0%	0%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	0%	0%	0%	0%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	0%	0%	0%	0%
CNS	Direct Connection	Hot Line	80%	90%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	0%	0%	0%	0%
BSE	Availability Control Arrangement	Make Busy Key	99%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	99%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	99%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines			
			Dec-03	Dec-04	Dec-05	Dec-06	
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%	
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%	
BSE	Hunting Service	Multiline Hunt Group	99%	100%	100%	100%	
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%	
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	99%	100%	100%	100%	
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	99%	100%	100%	100%	
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	99%	100%	100%	100%	
BSE	Customer Network Reconfiguration	Network Reconfiguration	99%	100%	100%	100%	
BSE	Preselection for Data Services	Preselection for Data Services	0%	0%	0%	0%	
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	0%	0%	0%	0%	
BSE	Secondary Channnel	Secondary Channel Capability	99%	100%	100%	100%	
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%	
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%	
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%	
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%	
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	100%	100%	100%	100%	
BSE	Tandem Routing	Tandem Routing	99%	100%	100%	100%	
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%	
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscrber Lns	99%	100%	100%	100%	
CNS	Warm Line	Warm Line	50%	60%	60%	60%	

			Actual %	Projected % Access Lines		
Type	ONA Capability	Generic Cross Reference NA	Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	85%	90%	90%	90%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	46%	50%	50%	50%
CNS	Repeat Dialing	Automatic Callback	99%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	100%	100%	100%	100%
CNS	Call Return	Automatic Recall	99%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	4%	4%	4%	4%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	4%	4%	4%	4%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	100%	100%	100%	100%
BSA	POLLSTAR DLC Security Transport	C3 Type I, Dedicated Alert Transport	100%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	100%	100%	100%	100%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Forwarding Variable	100%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	100%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intraswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrasw	Call Forwarding-DA Intraswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	100%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	4%	4%	4%	4%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	100%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	100%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	100%	100%	100%	100%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	100%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	100%	100%	100%	100%
BSE	Closed User Group (Packet	Closed User Group (Packet	4%	4%	4%	4%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	100%	100%	100%	100%
CNS	POLLSTAR (Monitoring)	Dernd Channels (Monitoring)	100%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	99%	100%	100%	100%
CNS	Direct Call (Packet)	Direct Call (Packet)	4%	4%	4%	4%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	4%	4%	4%	4%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	4%	4%	4%	4%
CNS	Direct Connection	Hot Line	80%	90%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	4%	4%	4%	4%
BSE	Availability Control Arrangement	Make Busy Key	100%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	100%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	100%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	100%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	100%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	100%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	100%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	100%	100%	100%	100%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	100%	100%	100%	100%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	100%	100%	100%	100%
BSE	Customer Network Reconfiguration	Network Reconfiguration	100%	100%	100%	100%
BSE	Preselection for Data Services	Preselection for Data Services	4%	4%	4%	4%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	4%	4%	4%	4%
BSE	Secondary Channnel	Secondary Channel Capability	100%	100%	100%	100%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	100%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	100%	100%	100%	100%
BSE	Tandem Routing	Tandem Routing	100%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	100%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	100%	100%	100%	100%
CNS	Warm Line	Warm Line	60%	60%	70%	90%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	99%	99%	99%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	40%	40%	40%	40%
CNS	Repeat Dialing	Automatic Callback	95%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	0%	0%	0%	0%
CNS	Call Return	Automatic Recall	95%	100%	100%	100%
BSE	Brdging	Brdging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X 25)	C2 Type A - X.25 Packet Switched	0%	0%	75%	75%
BSA	Public Packet Switching (X 75)	C2 Type B - X.75 Packet Switched	0%	0%	75%	75%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	100%	100%	100%	100%
BSA	ALARM PLUS Security Transport	C3 Type I, Dedicated Alert Transport	92%	92%	92%	92%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	83%	83%	83%	83%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	0%	0%	0%	0%
CNS	Call Forwarding Variable	Call Forwarding Variable	95%	99%	99%	99%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	93%	97%	97%	97%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	95%	99%	99%	99%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	93%	97%	97%	97%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	95%	99%	99%	99%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	90%	95%	95%	95%
BSE	DTE Backup (Packet)	Call Redirection Packet	0%	0%	0%	0%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	95%	99%	99%	99%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	92%	92%	95%	95%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	95%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	95%	100%	100%	100%
BSA	800 Access Service	Carner Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	0%	95%	95%	95%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	0%	97%	97%	97%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	91%	91%	95%	95%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	91%	91%	95%	95%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	0%	0%	0%	0%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	95%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	92%	92%	95%	95%
CNS	ALARM PLUS (Monitoring)	Derived Channels (Monitoring)	92%	92%	95%	95%
BSE	DID Trunk Queuing	DID Trunk Queuing	0%	0%	0%	0%
CNS	Direct Call (Packet)	Direct Call (Packet)	0%	0%	0%	0%
CNS	Priority Ringing	Distinctive Ringing	95%	97%	97%	97%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	0%	0%	0%	0%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	0%	0%	0%	0%
CNS	Direct Connection	Hot Line	90%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	0%	0%	0%	0%
BSE	Availability Control Arrangement	Make Busy Key	92%	92%	95%	95%
BSE	Forwarded Call Information	Message Desk (SMDI)	95%	95%	95%	95%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	95%	95%	95%	95%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	91%	91%	95%	95%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	91%	91%	95%	95%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	91%	91%	95%	95%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	91%	91%	95%	95%
BSE	Hunting Service	Multiline Hunt Group	89%	91%	95%	95%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	89%	89%	90%	90%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	75%	89%	90%	90%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	89%	91%	95%	95%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	31%	91%	95%	95%
BSE	Customer Network Reconfiguration	Network Reconfiguration	0%	0%	0%	0%
BSE	Preselection for Data Services	Preselection for Data Services	0%	0%	0%	0%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	0%	0%	0%	0%
BSE	Secondary Channnel	Secondary Channel Capability	0%	0%	0%	0%
CNS	Select Call Forwarding	Selective Call Forward	95%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	95%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	99%	99%	99%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	0%	0%	0%	0%
BSE	Tandem Routing	Tandem Routing	92%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	100%	100%	100%	100%
BSE	POLLSTAR (Vfy Integnty of Sub Lns)	Verify Integnty of Subscriber Lns	91%	91%	95%	95%
CNS	Warm Line	Warm Line	31%	40%	40%	40%



			Actual %	Projected % Access Lines		
Type	ONA Capability	Generic Cross Reference NA	Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	99%	100%	100%	100%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	40%	40%	40%	40%
CNS	Repeat Dialing	Automatic Callback	100%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	0%	0%	0%	0%
CNS	Call Return	Automatic Recall	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	100%	100%	100%	100%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	100%	100%	100%	100%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	0%	0%	75%	75%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	0%	0%	75%	75%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Pnv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	100%	100%	100%	100%
BSA	ALARM PLUS Security Transport	C3 Type I, Dedicated Alert Transport	83%	83%	83%	83%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	80%	80%	80%	80%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	0%	0%	0%	0%
CNS	Call Forwarding Variable	Call Forwarding Variable	100%	100%	100%	100%
CNS	Busy Call Forwarding Extended	Call Forwarding-Bsy Ln Interswitch	100%	100%	100%	100%
CNS	Call Forward Busy Line	Call Forwarding-Bsy Ln Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim Cls Interswitch	100%	100%	100%	100%
BSE	DTE Backup (Packet)	Call Redirection Packet	0%	0%	0%	0%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	100%	100%	100%	100%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	100%	100%	100%	100%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	99%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	99%	100%	100%	100%
BSA	800 Access Service	Caller Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	0%	0%	0%	0%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	0%	0%	0%	0%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	100%	100%	100%	100%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	70%	99%	100%	100%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	0%	0%	0%	0%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	99%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	92%	92%	92%	92%
CNS	ALARM PLUS (Monitoring)	Derived Channels (Monitoring)	85%	85%	85%	85%
BSE	DID Trunk Queuing	DID Trunk Queuing	0%	0%	0%	0%
CNS	Direct Call (Packet)	Direct Call (Packet)	0%	0%	0%	0%
CNS	Priority Ringing	Distinctive Ringing	99%	100%	100%	100%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	0%	0%	0%	0%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	0%	0%	0%	0%
CNS	Direct Connection	Hot Line	92%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	0%	0%	0%	0%
BSE	Availability Control Arrangement	Make Busy Key	92%	100%	100%	100%
BSE	Forwarded Call Information	Message Desk (SMDI)	95%	100%	100%	100%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	99%	100%	100%	100%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	99%	100%	100%	100%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	99%	100%	100%	100%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	99%	100%	100%	100%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	99%	100%	100%	100%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	18%	21%	21%	21%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	95%	95%	96%	99%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	18%	45%	45%	50%
BSE	Customer Network Reconfiguration	Network Reconfiguration	0%	0%	0%	0%
BSE	Preselection for Data Services	Preselection for Data Services	0%	0%	0%	0%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	0%	0%	0%	0%
BSE	Secondary Channnel	Secondary Channel Capability	0%	0%	0%	0%
CNS	Select Call Forwarding	Selective Call Forward	99%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	99%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	99%	100%	100%	100%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	99%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	0%	0%	0%	0%
BSE	Tandem Routing	Tandem Routing	100%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	99%	100%	100%	100%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verify Integrity of Subscriber Lns	91%	91%	91%	91%
CNS	Warm Line	Warm Line	35%	35%	35%	35%

			Actual %	Projected % Access Lines		
Type	ONA Capability	Generic Cross Reference NA	Dec-03	Dec-04	Dec-05	Dec-06
BSE	Access to Clear Channel Transmission	Access to Clear Channel Transmission	100%	100%	100%	100%
BSA	Alternate Traffic Routing	Alternate Traffic Routing	0%	0%	0%	0%
BSE	Answer Supervision (Line Side)	Answer Supervision Ln Sd interface	0%	0%	0%	0%
CNS	Repeat Dialing	Automatic Callback	0%	100%	100%	100%
BSE	Automatic Loop Transfer	Automatic Protection Switching	0%	0%	0%	0%
CNS	Call Return	Automatic Recall	0%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSA	Access Line Arrangement (FGA)	C1 Type A, Circuit Switched Line	0%	0%	0%	0%
BSA	Access Trunk Arrangement (FGB, D)	C1 Type B, Circuit Switched Trunk	0%	0%	0%	0%
BSA	Public Packet Switching (X.25)	C2 Type A - X.25 Packet Switched	0%	0%	75%	75%
BSA	Public Packet Switching (X.75)	C2 Type B - X.75 Packet Switched	0%	0%	75%	75%
BSA	Metallic Service	C3 Type A, Dedicated Metallic	100%	100%	100%	100%
BSA	Telegraph Grade Service	C3 Type B, Dedicated Telegraph	100%	100%	100%	100%
BSA	Voice Grade Service	C3 Type C, Dedicated Voice Grade	100%	100%	100%	100%
BSA	Program Audio Service	C3 Type D, Dedicated Program Audio	100%	100%	100%	100%
BSA	Video Service	C3 Type E, Dedicated Video	100%	100%	100%	100%
BSA	BSA Digital Data Service, Priv Line Svc	C3 Type F, Dedicated Digital <64kbps	100%	100%	100%	100%
BSA	High Capacity Svc (1.544Mbps)	C3 Type G, Dedicated 1.544 Mbps	100%	100%	100%	100%
BSA	High Capacity Svc (>1.544Mbps)	C3 Type H, Dedicated >1.544 Mbps	100%	100%	100%	100%
BSA	ALARM PLUS Security Transport	C3 Type I, Dedicated Alert Transport	100%	100%	100%	100%
BSA	Dedicated Network Access Link	C4 Dedicated Network Access Link	0%	0%	0%	0%
BSE	Call Denial on Line or Hunt Group	Call Denial on Line or Hunt Group	0%	0%	0%	0%
CNS	Call Forwarding Variable	Call Forwarding Variable	80%	80%	80%	80%
CNS	Busy Call Forwarding Extended	Call Forwarding-Busy Ln Interswitch	0%	0%	0%	0%
CNS	Call Forward Busy Line	Call Forwarding-Busy Ln Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Don't Answer Intersw	Call Forwarding-DA Interswitch	0%	0%	0%	0%
CNS	Call Forwarding Don't Answer Intrsw	Call Forwarding-DA Intrswitch	100%	100%	100%	100%
CNS	Call Forwarding Variable	Call Fwd Mult Sim CIs Interswitch	0%	0%	0%	0%
BSE	DTE Backup (Packet)	Call Redirection Packet	0%	0%	0%	0%
CNS	Call Waiting (Cancel)	Call Waiting (Cancel)	75%	75%	75%	75%
BSE	Direct Inward Dial Service	Called DN Delivery via DID	100%	100%	100%	100%
BSE	Automatic Number Identification	Calling BN Delivery via FG D	0%	0%	0%	0%
BSE	Calling DN Delivery via BCLID	Calling DN Delivery via BCLID	0%	100%	100%	100%
BSE	Caller ID	Calling DN Delivery via ICLID	0%	100%	100%	100%
BSA	800 Access Service	Carrier Select on Reverse Charge	100%	100%	100%	100%
CNS	Call Forwarding BY/DA - Fixed	CFBL/DA-Cust Cntrl Act/Deactivtn	75%	75%	75%	75%
CNS	Call Forwarding BY/DA - programming	CFBL/DA-Cust Cntrl Fwd to Number	75%	75%	75%	75%
CNS	Call Forwarding Variable	CFV-Activation w/o Courtesy Call	0%	0%	0%	0%
CNS	CFV-Remote Activation/Control	CFV-Remote Activation/Control	0%	0%	0%	0%
BSE	Closed User Group (Packet)	Closed User Group (Packet)	0%	0%	0%	0%
BSE	Channel Conditioning	Conditioning	100%	100%	100%	100%
CNS	Call Trace	Customer Originated Trace	0%	100%	100%	100%
CNS	Digital Data Over Voice	Data Over Voice (DOV) Service	0%	0%	0%	0%
CNS	ALARM PLUS (Monitoring)	Derived Channels (Monitoring)	100%	100%	100%	100%
BSE	DID Trunk Queuing	DID Trunk Queuing	0%	0%	0%	0%
CNS	Direct Call (Packet)	Direct Call (Packet)	0%	0%	0%	0%
CNS	Priority Ringing	Distinctive Ringing	75%	75%	75%	75%
BSE	Fast Select Acceptance (Packet)	Fast Select Acceptance (Packet)	0%	0%	0%	0%
BSE	Fast Select Initiate (Packet)	Fast Select Request Packet	0%	0%	0%	0%
CNS	Direct Connection	Hot Line	100%	100%	100%	100%
BSE	Hunt Group (INT/EXT)	Hunt Groups Packet	0%	0%	0%	0%
BSE	Availability Control Arrangement	Make Busy Key	0%	0%	0%	0%
BSE	Forwarded Call Information	Message Desk (SMDI)	0%	0%	0%	0%
BSE	Hunting Service (MLHG ACC EA Port)	MLHG Access to Each Port	100%	100%	100%	100%
BSE	Hunting Srv (MLHG CO Announcement)	MLHG CO Announcements	0%	0%	0%	0%
BSE	Hunting Service (MLHG Overflow)	MLHG Overflow	0%	0%	0%	0%

Type	ONA Capability	Generic Cross Reference NA	Actual %	Projected % Access Lines		
			Dec-03	Dec-04	Dec-05	Dec-06
BSE	Uniform Call Distribution	MLHG UCD Line Hunting	0%	0%	0%	0%
BSE	Uniform Call Dst (Queing)	MLHG UCD with Queuing	0%	0%	0%	0%
BSE	Hunting Service	Multiline Hunt Group	100%	100%	100%	100%
CNS	Message Waiting Indicator	MWI-Ability to Receive AUD Msg Wtg	0%	0%	0%	0%
CNS	Electronic Business Set Msg Wtg	MWI-Ability to Receive Vis Msg Wtg	0%	0%	0%	0%
BSE	MWI Activation (Audible)	MWI-Activation (Audible)	0%	0%	0%	0%
BSE	Electronic Business Set Msg Wtg	MWI-Activation (visual)	0%	0%	0%	0%
BSE	Customer Network Reconfiguration	Network Reconfiguration	0%	0%	0%	0%
BSE	Preselection for Data Services	Preselection for Data Services	0%	0%	0%	0%
BSE	Reverse Charge Acceptance (Packet)	Reverse Charge Acceptance (Packet)	0%	0%	0%	0%
BSE	Secondary Channnel	Secondary Channel Capability	0%	0%	0%	0%
CNS	Select Call Forwarding	Selective Call Forward	0%	100%	100%	100%
CNS	Call Screen	Selective Call Rejection	0%	100%	100%	100%
CNS	Network Speed Calling	Shared Speed Calling	75%	75%	75%	75%
CNS	Speed Calling (8 & 30 Number)	Speed Calling	100%	100%	100%	100%
BSE	Svc Code Denial on Ln or Hung Grp	Svc Code Denial on Ln or Hunt Grp	0%	0%	0%	0%
BSE	Tandem Routing	Tandem Routing	100%	100%	100%	100%
BSE	Call Transfer	Three Way Call Transfer	75%	75%	75%	75%
BSE	POLLSTAR (Vfy Integrity of Sub Lns)	Verfy Integrity of Subscriber Lns	100%	100%	100%	100%
CNS	Warm Line	Warm Line	0%	0%	0%	0%